


Tracker 209 In-Line Rifle - AW Comp (Eco) Stock - Models:

R-44003470

.50 cal. Perc. 1-28"

Blued Barrel




Description	Reference	Description	Reference
A Stock (AW Composite Eco) (Finished).....	FCS501070	Q Ramrod Thimble.....	440032-P
B Barrel Assembly (Kit) (Length 24")		R Ramrod Thimble Screw.....	400031
.50 cal. Perc. (twist 1-28").....	C-440434	S New Luminous Rear Sight.....	50610-LU
Barrel Assembly (Finished) (Length 24")		T Plug Screw (4).....	26029
.50 cal. Perc. Blued (twist 1-28").....	FB440434	W Bolt.....	440002
C Trigger Assembly.....	500022-S	X Bolt Handle.....	440003
D Pistol Grip Cap.....	50104	Y Mainspring.....	440005
E Pistol Grip Cap Screw.....	50105	Z Receiver Cap (Blued).....	400009-P
F Action Mounting Screw (Allen Head).....	M400037	AA Wrench.....	500029
G Sling Swivel Stud-Rear.....	37013	BB Wrench Handle.....	400033
H Sling Swivel Stud-Front.....	37022	CC Ramrod Assembly.....	44028N
I Buttpad.....	60126	DD Barrel Locking Screw.....	400025
J Buttpad Mounting Screw (2).....	20634	EE 209 Cap Nipple Spring.....	14420
K Ramrod Retaining Spring Screw.....	400024	FF 209 Breech Plug-Nipple Assembly.....	6000099
L Ramrod Retaining Spring.....	400030	GG Decapping Tool.....	600229
M Trigger Assembly Mount Screw (2).....	400016	HH Sling Swivel Stud-Front Nut.....	60122
N Lock Washers (2).....	400018	II New Luminous Front Sight.....	50611-LU
O Bedding Block.....	400008-2	JJ Sling Swivel Stud-Front Washer.....	440011
P Bedding Block Screw (Allen head) (2).....	440035	KK 209 Breech Plug-Nipple.....	M6000099

(*) Exploded view at the reverse.


TRADITIONS™

Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight -Ref. 50610-LU




Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
G Hex. Nut (2).....	50618
F Elevation Adjustment Locking Screw.....	50616
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight -Ref. 50611-LU



Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623

Tracker 209 In-Line Rifle -AW Comp (Eco) Stock- Scope 3-9x32
Models: R3-44003470
.50 cal. Perc. 1-28"
Blued Barrel




Description	Reference	Description	Reference
A Stock (AW Composite Eco) (kit).....	K-501070	R Ramrod Thimble Screw.....	400031
Stock (AW Composite Eco) (Finished).....	FCS501070	S New Luminous Rear Sight.....	50610-LU
B Barrel Assembly (Kit) (Length 24")		T Plug Screw (4).....	26029
.50 cal. Perc. (twist 1-28").....	C-440434	W Bolt.....	440002
Barrel Assembly (Finished) (Length 24")		X Bolt Handle.....	440003
.50 cal. Perc. Blued (twist 1-28").....	FB440434-3	Y Mainspring.....	440005
C Trigger Assembly.....	500022-S	Z Receiver Cap.....	400009-P
D Pistol Grip Cap.....	50104	AA Wrench.....	500029
E Pistol Grip Cap Screw.....	50105	BB Wrench Handle.....	400033
F Action Mounting Screw (Allen Head).....	M400037	CC Ramrod Assembly.....	44028N
G Sling Swivel Stud-Rear.....	37013	DD Barrel Locking Screw.....	400025
H Sling Swivel Stud-Front.....	37022	EE 209 Cap Nipple Spring.....	14420
I Buttpad.....	60126	FF 209 Breech Plug - Nipple Assembly.....	6000099
J Buttpad Mounting Screw (2).....	20634	GG Decapping Tool.....	600229
K Ramrod Retaining Spring Screw.....	400024	HH Sling Swivel Stud-Front Nut.....	60122
L Ramrod Retaining Spring.....	400030	II New Luminous Front Sight.....	50611-LU
M Trigger Assembly Mount Screw (2).....	400016	JJ Sling Swivel Stud-Front Washer.....	440011
N Lock Washers (2).....	400018	KK 209 Breech Plug- Nipple.....	M6000099
O Bedding Block.....	400008-2	LL Scope Bases & Mounting Screws (Blued).....	026-A1320
P Bedding Block Screw (Allen head) (2).....	440035	MM Scope Rings & Mounting Screws (Blued).....	026-A1365
Q Ramrod Thimble.....	440032-P	NN Scope 3-9x32 (Blackened).....	026-1161

(*) Exploded view at the reverse.


TRADITIONS™

Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight -Ref. 50610-LU



Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
F Hex. Nut (2).....	50618
G Elevation Adjustment Locking Screw.....	50616
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight -Ref. 50611-LU




Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623

Tracker 209 In-Line Rifle - AW Comp (Eco) Stock - Models:

R-44050470

.45 cal. Perc. 1-20"

Blued Barrel




Description	Reference	Description	Reference
A Stock (AW Composite Eco) (Finished).....	FCS501070	Q Ramrod Thimble.....	440032-P
B Barrel Assembly (Kit) (Length 24")		R Ramrod Thimble Screw.....	400031
.45 cal. Perc. (twist 1-20").....	C-440435	S New Luminous Rear Sight.....	50610-LU
Barrel Assembly (Finished) (Length 24")		T Plug Screw (4).....	26029
.45 cal. Perc. Blued (twist 1-20").....	FB440435	W Bolt.....	440002
C Trigger Assembly.....	500022-S	X Bolt Handle.....	440003
D Pistol Grip Cap.....	50104	Y Mainspring.....	440005
E Pistol Grip Cap Screw.....	50105	Z Receiver Cap (Blued).....	400009-P
F Action Mounting Screw (Allen Head).....	M400037	AA Wrench.....	500029
G Sling Swivel Stud-Rear.....	37013	BB Wrench Handle.....	400033
H Sling Swivel Stud-Front.....	37022	CC Ramrod Assembly.....	44028N
I Buttpad.....	60126	DD Barrel Locking Screw.....	400025
J Buttpad Mounting Screw (2).....	20634	EE 209 Cap Nipple Spring.....	14420
K Ramrod Retaining Spring Screw.....	400024	FF 209 Breech Plug - Nipple Assembly.....	6000099
L Ramrod Retaining Spring.....	400030	GG Decapping Tool.....	600229
M Trigger Assembly Mount Screw (2).....	400016	HH Sling Swivel Stud-Front Nut.....	60122
N Lock Washers (2).....	400018	II New Luminous Front Sight.....	50611-LU
O Bedding Block.....	400008-2	JJ Sling Swivel Stud-Front Washer.....	440011
P Bedding Block Screw (Allen head) (2).....	440035	KK 209 Breech Plug - Nipple.....	M6000099

(*) Exploded view at the reverse.


TRADITIONS™

Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight -Ref. 50610-LU



Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
F Elevation Adjustment Locking Screw.....	50616
G Hex. Nut (2).....	50618
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight -Ref. 50611-LU




Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623

Tracker 209 In-Line Rifle - AW Comp (Eco) Stock - Models:

R-44103470

.50 cal. Perc. 1-28"


C-Nickel Barrel



Description	Reference	Description	Reference
A Stock (AW Composite Eco) (Finished).....	FCS501070	Q Ramrod Thimble.....	440032-P
B Barrel Assembly (Kit) (Length 24")		R Ramrod Thimble Screw.....	400031
.50 cal. Perc. (twist 1-28").....	C-441434	S New Luminous Rear Sight.....	50610-LU
Barrel Assembly (Finished) (Length 24")		T Plug Screw (4).....	26029
.50 cal. Perc. C-Nickel (twist 1-28").....	FB441434	W Bolt.....	440002
C Trigger Assembly.....	500022-S	X Bolt Handle.....	440003
D Pistol Grip Cap.....	50104	Y Mainspring.....	440005
E Pistol Grip Cap Screw.....	50105	Z Receiver Cap (C-Nickel).....	400009N
F Action Mounting Screw (Allen Head).....	M400037	AA Wrench.....	500029
G Sling Swivel Stud-Rear.....	37013	BB Wrench Handle.....	400033
H Sling Swivel Stud-Front.....	37022	CC Ramrod Assembly.....	44028N
I Buttpad.....	60126	DD Barrel Locking Screw.....	400025
J Buttpad Mounting Screw (2).....	20634	EE 209 Cap Nipple Spring.....	14420
K Ramrod Retaining Spring Screw.....	400024	FF 209 Breech Plug-Nipple Assembly.....	6000099
L Ramrod Retaining Spring.....	400030	GG Decapping Tool.....	600229
M Trigger Assembly Mount Screw (2).....	400016	HH Sling Swivel Stud-Front Nut.....	60122
N Lock Washers (2).....	400018	II New Luminous Front Sight.....	50611-LU
O Bedding Block.....	400008-2	JJ Sling Swivel Stud-Front Washer.....	440011
P Bedding Block Screw (Allen head) (2).....	440035	KK 209 Breech Plug-Nipple.....	M6000099


(*) Exploded view at the reverse.

TRADITIONS™
Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight
-Ref. 50610-LU




Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
G Hex. Nut (2).....	50618
F Elevation Adjustment Locking Screw.....	50616
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight
-Ref. 50611-LU



Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623

Tracker 209 In-Line Rifle -Advantage Timber Camo (Eco) Stock-
Models:
R-44103472
.50 cal. Perc. 1-28"
C-Nickel Barrel




Description	Reference	Description	Reference
A Stock (AW Composite Eco) (kit).....	K-501070	R Ramrod Thimble Screw.....	400031
Stock (Advant / Timber Camo Eco) (Finished).....	FCS501072	S New Luminous Rear Sight.....	50610-LU
B Barrel Assembly (Kit) (Length 24")		T Plug Screw (4).....	26029
.50 cal. perc. (twist 1-28").....	C-441434	W Bolt.....	440002
Barrel Assembly (Finished) (Length 24")		X Bolt Handle.....	440003
.50 cal. perc. C-Nickel (twist 1-28").....	FB441434	Y Mainspring.....	440005
C Trigger Assembly.....	500022-S	Z Receiver Cap (Blued).....	400009-P
D Pistol Grip Cap.....	50104	Receiver Cap (C-Nickel).....	400009N
E Pistol Grip Cap Screw.....	50105	AA Wrench.....	500029
F Action Mounting Screw (Allen Head).....	M400037	BB Wrench Handle.....	400033
G Sling Swivel Stud-Rear.....	37013	CC Ramrod Assembly.....	44028N
H Sling Swivel Stud-Front.....	37022	DD Barrel Locking Screw.....	400025
I Buttpad.....	60126	EE 209 Cap Nipple Spring.....	14420
J Buttpad Mounting Screw (2).....	20634	FF 209 Breech Plug-Nipple Assembly.....	6000099
K Ramrod Retaining Spring Screw.....	400024	GG Decapping Tool.....	600229
L Ramrod Retaining Spring.....	400030	HH Sling Swivel Stud-Front Nut.....	60122
M Trigger Assembly Mount Screw (2).....	400016	II New Luminous Front Sight.....	50611-LU
N Lock Washers (2).....	400018	JJ Sling Swivel Stud-Front Washer.....	440011
O Bedding Block.....	400008-2	KK 209 Breech Plug-Nipple.....	M6000099
P Bedding Block Screw (Allen head) (2).....	440035		
Q Ramrod Thimble.....	440032-P		

(*) Exploded view at the reverse.


TRADITIONS™

Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight -Ref. 50610-LU



Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
F Hex. Nut (2).....	50618
G Elevation Adjustment Locking Screw.....	50616
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight -Ref. 50611-LU




Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623

Tracker 209 In-Line Rifle - AW Comp (Eco) Stock - Models:

R-44150470

.45 cal. Perc. 1-20"


C-Nickel Barrel



Description	Reference	Description	Reference
A Stock (AW Composite Eco) (Finished).....	FCS501070	Q Ramrod Thimble.....	440032-P
B Barrel Assembly (Kit) (Length 24")		R Ramrod Thimble Screw.....	400031
.45 cal. Perc. (twist 1-20").....	C-440435	S New Luminous Rear Sight.....	50610-LU
Barrel Assembly (Finished) (Length 24")		T Plug Screw (4).....	26029
.45 cal. Perc. C-Nickel (twist 1-20").....	FB441435	W Bolt.....	440002
C Trigger Assembly.....	500022-S	X Bolt Handle.....	440003
D Pistol Grip Cap.....	50104	Y Mainspring.....	440005
E Pistol Grip Cap Screw.....	50105	Z Receiver Cap (C-Nickel).....	400009N
F Action Mounting Screw (Allen Head).....	M400037	AA Wrench.....	500029
G Sling Swivel Stud-Rear.....	37013	BB Wrench Handle.....	400033
H Sling Swivel Stud-Front.....	37022	CC Ramrod Assembly.....	44028N
I Buttpad.....	60126	DD Barrel Locking Screw.....	400025
J Buttpad Mounting Screw (2).....	20634	EE 209 Cap Nipple Spring.....	14420
K Ramrod Retaining Spring Screw.....	400024	FF 209 Breech Plug- Nipple Assembly.....	6000099
L Ramrod Retaining Spring.....	400030	GG Decapping Tool.....	600229
M Trigger Assembly Mount Screw (2).....	400016	HH Sling Swivel Stud-Front Nut.....	60122
N Lock Washers (2).....	400018	II New Luminous Front Sight.....	50611-LU
O Bedding Block.....	400008-2	JJ Sling Swivel Stud-Front Washer.....	440011
P Bedding Block Screw (Allen head) (2).....	440035	KK 209 Breech Plug - Nipple.....	M6000099


(*) Exploded view at the reverse.

TRADITIONS™
Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight
-Ref. 50610-LU




Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
F Elevation Adjustment Locking Screw.....	50616
G Hex. Nut (2).....	50618
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight
-Ref. 50611-LU



Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623


Tracker 209 In-Line Rifle - Advantage-Timber Camo Stock - Models: R-44150472 .45 cal. Perc. 1-20" C-Nickel Barrel



Description	Reference	Description	Reference
A Stock (AW Composite Eco) (kit).....	KC-501070	Q Ramrod Thimble.....	440032-P
Stock (Advantage-Timber Camo) (Finished).....	FCS501072	R Ramrod Thimble Screw.....	400031
B Barrel Assembly (Kit) (Length 24")		S New Luminous Rear Sight.....	50610-LU
.45 cal. Perc. (twist 1-20").....	C-440435	T Plug Screw (4).....	26029
Barrel Assembly (Finished) (Length 24")		W Bolt.....	440002
.45 cal. Perc. C-Nickel (twist 1-20").....	FB441435	X Bolt Handle.....	440003
C Trigger Assembly.....	500022-S	Y Mainspring.....	440005
D Pistol Grip Cap.....	50104	Z Receiver Cap (C-Nickel).....	400009N
E Pistol Grip Cap Screw.....	50105	AA Wrench.....	500029
F Action Mounting Screw (Allen Head).....	M400037	BB Wrench Handle.....	400033
G Sling Swivel Stud-Rear.....	37013	CC Ramrod Assembly.....	44028N
H Sling Swivel Stud-Front.....	37022	DD Barrel Locking Screw.....	400025
I Buttpad.....	60126	EE 209 Cap Nipple Spring.....	14420
J Buttpad Mounting Screw (2).....	20634	FF 209 Breech Plug - Nipple Assembly.....	6000099
K Ramrod Retaining Spring Screw.....	400024	GG Decapping Tool.....	600229
L Ramrod Retaining Spring.....	400030	HH Sling Swivel Stud-Front Nut.....	60122
M Trigger Assembly Mount Screw (2).....	400016	II New Luminous Front Sight.....	50611-LU
N Lock Washers (2).....	400018	JJ Sling Swivel Stud-Front Washer.....	440011
O Bedding Block.....	400008-2	KK 209 Breech Plug - Nipple.....	M6000099
P Bedding Block Screw (Allen head) (2).....	440035		


(*) Exploded view at the reverse.

TRADITIONS™
Trigger Assembly - Ref. 500022-S




Description	Reference
A Trigger Assembly Support.....	500010
B Trigger.....	500012
C Sear.....	M500011
D Thumb Safety.....	500040-S
E Trigger Stop.....	500041
F Thumb Safety Axel.....	500015
G Stop Pin.....	500016
H Trigger Spring Adjuster.....	500018
I Trigger Spring.....	500014
J Trigger Spring Guide.....	500017
K Sear Spring.....	500013
L Thumb Safety Tension Spring.....	500020
M Trigger Adjustment Nut & Spring (2).....	400044-S
N Trigger Adjustment Screw.....	500019
O Trigger Pin (2).....	400015
P Sear Pin (2).....	400017

Lite Optic Rear Sight
-Ref. 50610-LU



Description	Reference
A Rear Sight Base (Round).....	50613
B Elevator Base.....	50614
C Rear Sighting Blade.....	50615-LU
D Luminous Insert.....	50606
E Windage Adjustment Locking Screw.....	50624
F Elevation Adjustment Locking Screw.....	50616
G Hex. Nut (2).....	50618
H Rear Sight Mounting Screw (2).....	50622

Lite Optic Front Sight
-Ref. 50611-LU



Description	Reference
A Front Sight Base (Round).....	M50611-LU
B Luminous Insert.....	36613
C Front Sight Mounting Screw.....	50623